ELSEVIER

Journal of Affective Disorders 66 (2001) 287–289

JOURNAL OF AFFECTIVE DISORDERS

www.elsevier.com/locate/jad

Author index

Abildgaard, W., see Bech, P. (66) 159
Alpert, M., Pouget, E.R. and Silva, R.R.
Reflections of depression in acoustic measures of the patient's speech (66) 59
Amado, D., see Stravynski, A. (66) 281
Antonio Talavera, J., see Garcia-Toro, M. (66) 103
Arolt, V., see Rothermundt, M. (66) 89
Austin, M.-P., see Brodaty, H. (66) 225

Barzega, G., Maina, G., Venturello, S. and Bogetto, F.
Dysthymic disorder: clinical characteristics in relation to age at onset (66) 39
Bauer, M., see Gyulai, L. (66) 185
Baumgartner, A., see Gyulai, L. (66) 185
Bech, P., Rasmussen, N.-A., Olsen, L.R., Noerholm, V. and Abildgaard, W.
The sensitivity and specificity of the Major Depression Inventory, using the Present State Examination as the index of diagnostic validity (66) 159
Beersma, D.G.M., see van Houwelingen, C.A.J. (66) 215
Bellavance, F., see McManus, K. (66) 273
Benazzi, F.
Bipolar II depression in late life: prevalence and clinical features in 525 depressed outpatients (66) 13
Benkert, O., see Müller, M.J. (66) 255
Berghöfer, A., see Gyulai, L. (66) 185
Berle, D., see Brodaty, H. (66) 237
Bird, D., see Robertson, H.A. (66) 25
Blöink, R., see Brieger, P. (66) 263
Bogetto, F., see Barzega, G. (66) 39
Borger, S.C., see Enns, M.W. (66) 175
Brammer, M.J., see Curtis, V.A. (66) 111
Brieger, P., Blöink, R., Sommer, S. and Marneros, A.
Affective symptoms at index hospitalization in childhood and depressive symptoms in adulthood: a 'catch-up' study (66) 263
Brodaty, H., Berle, D., Hickie, I. and Mason, C.
'Side effects' of ECT are mainly depressive phenomena and are independent of age (66) 237
Brodaty, H., Luscombe, G., Parker, G., Wilhelm, K., Hickie, I., Austin, M.-P. and Mitchell, P.
Early and late onset depression in old age: different aetiologies, same phenomenology (66) 225
Bruijn, J.A., Moleman, P., Mulder, P.G.H. and van den Broek, W.W.
Treatment of mood-congruent psychotic depression with imipramine (66) 165
Bullmore, E.T., see Curtis, V.A. (66) 111

Conwell, Y., see Seidlitz, L. (66) 123
Copolov, D., see Dean, B. (66) 147
Cox, B.J., see Enns, M.W. (66) 175
Cox, C., see Seidlitz, L. (66) 123
Curtis, V.A., Dixon, T.A., Morris, R.G., Bullmore, E.T., Brammer, M.J., Williams, S.C.R., Sharma, T., Murray, R.M. and McGuire, P.K.
Differential frontal activation in schizophrenia and bipolar illness during verbal fluency (66) 111

Dean, B., Pavey, G., McLeod, M., Opeskin, K., Keks, N. and Copolov, D.
A change in the density of [^{3}H]flumazenil, but not [^{3}H]muscimol binding, in Brodmann's Area 9 from subjects with bipolar disorder (66) 147
Denning, D., see Seidlitz, L. (66) 123
Dixon, T.A., see Curtis, V.A. (66) 111
Duberstein, P., see Seidlitz, L. (66) 123

Enns, M.W., Cox, B.J. and Borger, S.C.
Correlates of analogue and clinical depression: a further test of the phenomenological continuity hypothesis (66) 175
Evers, S., Hengst, K. and Pecuch, P.W.
The impact of repetitive transcranial magnetic stimulation on pituitary hormone levels and cortisol in healthy subjects (66) 83
Ezcurra, J., see Gonzalez-Pinto, A. (66) 247

Fábián, Z., see Treuer, T. (66) 283
Feiger, A.D., see Rudolph, R.L. (66) 97
Feinstein, A. and Feinstein, K.
Depression associated with multiple sclerosis. Looking beyond diagnosis to symptom expression (66) 193
Feinstein, K., see Feinstein, A. (66) 193
Föhr, J., see Mervaala, E. (66) 47
Füredi, J., see Treuer, T. (66) 283

Garcia-Espana, F., see Gyulai, L. (66) 185
Garcia-Toro, M., Manuel Montes, J. and Antonio Talavera, J.
Functional cerebral asymmetry in affective disorders: new facts contributed by transcranial magnetic stimulation (66) 103

PII: S0165-0327(01)00401-3

Gilaberte, I., see Gonzalez-Pinto, A. (66) 247
Gonzalez-Pinto, A., Lalaguna, B., Mosquera, F., Pérez de Heredia, J.L., Gutierrez, M., Ezcurra, J., Gilaberte, I. and Tohen, M.
Use of olanzapine in dysphoric mania (66) 247
Grasswick, L., see Robertson, H.A. (66) 25
Griens, A.M.G.F., see Hoencamp, E. (66) 267
Gutierrez, M., see Gonzalez-Pinto, A. (66) 247
Gyulai, L., Bauer, M., Garcia-Espana, F., Hierholzer, J., Baumgartner, A., Berghöfer, A. and Whybrow, P.C.
Bone mineral density in pre-and post-menopausal women with affective disorder treated with long-term L-thyroxine augmentation (66) 185

Haffmans, P.M.J., see Hoencamp, E. (66) 267
Hengst, K., see Evers, S. (66) 83
Herzog, G., see Hofmann, P.J. (66) 75
Heycop ten Ham, B.F., see Hoencamp, E. (66) 267
Hickie, I., see Brodaty, H. (66) 225
Hickie, I., see Brodaty, H. (66) 237
Hierholzer, J., see Gyulai, L. (66) 185
Hoencamp, E., Haffmans, P.M.J., Griens, A.M.G.F., Huijbrechts, I.P.A.M. and Heycop ten Ham, B.F.
A 3.5-year naturalistic follow-up study of depressed outpatients (66) 267
Hofmann, P.J., Nutzinger, D.O., Kotter, M.R. and Herzog, G.
The hypothalamic–pituitary–thyroid axis in agoraphobia, panic disorder, major depression and normal controls (66) 75
Hong, C.-J., see Lai, I.-C. (66) 79
Huijbrechts, I.P.A.M., see Hoencamp, E. (66) 267
Husso-Saastamoinen, M., see Mervaala, E. (66) 47
Hwang, H.Z., see Jin, D.K. (66) 19

Jin, D.K., Hwang, H.Z., Oh, M.R., Kim, J.S., Lee, M., Kim, S., Lim, S.-W., Seo, M.Y., Kim, J.-H. and Kim, D.K.
CAG repeats of CTG18.1 and KCNN3 in Korean patients with bipolar affective disorder (66) 19
Judge, R.
Once-daily venlafaxine extended release (XR) vs. fluoxetine for the treatment of depression (66) 95

Keks, N., see Dean, B. (66) 147
Kennedy, C., see Stein, M.B. (66) 133
Kim, D.K., see Jin, D.K. (66) 19
Kim, J.-H., see Jin, D.K. (66) 19
Kim, J.S., see Jin, D.K. (66) 19
Kim, S., see Jin, D.K. (66) 19
Kirchner, H., see Rothermundt, M. (66) 89
Könönen, M., see Mervaala, E. (66) 47
Kotter, M.R., see Hofmann, P.J. (66) 75
Kuikka, J.T., see Mervaala, E. (66) 47
Kutcher, S.P., see Robertson, H.A. (66) 25

Lai, I.-C., Hong, C.-J. and Tsai, S.-J.
Association study of nicotinic-receptor variants and major depressive disorder (66) 79
Lalaguna, B., see Gonzalez-Pinto, A. (66) 247
Le Mellédo, J.-M., see McManus, K. (66) 273
Lee, M., see Jin, D.K. (66) 19
Lehtonen, J., see Mervaala, E. (66) 47
Lim, S.-W., see Jin, D.K. (66) 19
Luscombe, G., see Brodaty, H. (66) 225

Mahmood, T. and Silverstone, T.
Serotonin and bipolar disorder (66) 1
Maina, G., see Barzega, G. (66) 39
Manuel Montes, J., see Garcia-Toro, M. (66) 103
Marneros, A., see Brieger, P. (66) 263
Mason, C., see Brodaty, H. (66) 237
McGuire, P.K., see Curtis, V.A. (66) 111
McLeod, M., see Dean, B. (66) 147
McManus, K., Tait, G.R., Bellavance, F. and Le Mellédo, J.-M.
Effect of ethinyl estradiol on the panic response to the panicogenic agent pentagastrin (66) 273
Mervaala, E., Könönen, M., Föhr, J., Husso-Saastamoinen, M., Valkonen-Korhonen, M., Kuikka, J.T., Viinamäki, H., Tammi, A.-K., Tiihonen, J., Partanen, J. and Lehtonen, J.
SPECT and neuropsychological performance in severe depression treated with ECT (66) 47
Miller, I., see Posternak, M.A. (66) 139
Missler, U., see Rothermundt, M. (66) 89
Mitchell, P., see Brodaty, H. (66) 225
Moleman, P., see Bruijn, J.A. (66) 165
Morris, R.G., see Curtis, V.A. (66) 111
Mosquera, F., see Gonzalez-Pinto, A. (66) 247
Mulder, P.G.H., see Bruijn, J.A. (66) 165
Müller, M.J. and Benkert, O.
Lower self-reported depression in patients with erectile dysfunction after treatment with sildenafil (66) 255
Murray, R.M., see Curtis, V.A. (66) 111

Noerholm, V., see Bech, P. (66) 159
Nutzinger, D.O., see Hofmann, P.J. (66) 75

Oh, M.R., see Jin, D.K. (66) 19
Olsen, L.R., see Bech, P. (66) 159
Opeskin, K., see Dean, B. (66) 147

Parker, G., see Brodaty, H. (66) 225
Parker, G. and Ritch, J.
The influence of an uncaring partner on the type and outcome of depression (66) 207
Partanen, J., see Mervaala, E. (66) 47
Pavey, G., see Dean, B. (66) 147
Pecuch, P.W., see Evers, S. (66) 83
Pérez de Heredia, J.L., see Gonzalez-Pinto, A. (66) 247
Peters, M., see Rothermundt, M. (66) 89
Posternak, M.A. and Miller, I.
Untreated short-term course of major depression: a meta-analysis of outcomes from studies using wait-list control groups (66) 139
Pouget, E.R., see Alpert, M. (66) 59

Rasmussen, N.-A., see Bech, P. (66) 159
Ritch, J., see Parker, G. (66) 207
Robertson, H.A., Kutcher, S.P., Bird, D. and Grasswick, L.
Impact of early onset bipolar dis:order on family functioning.

Adolescents' perceptions of family dynamics, communication, and problems (66) 25
Rothermundt, M., Arolt, V., Wiesmann, M., Missler, U., Peters, M., Rudolf, S. and Kirchner, H.
S-100B is increased in melancholic but not in non-melancholic major depression (66) 89
Roy, A. and Segal, N.L.
Suicidal behavior in twins: a replication (66) 71
Rudolf, S., see Rothermundt, M. (66) 89
Rudolph, R.L. and Feiger, A.D.
Response to "Once-daily venlafaxin extended release (XR) vs. fluoxetine for the treatment of depression" (66) 97

Sachs, G.S., see Yýldýz, A. (66) 199
Segal, N.L., see Roy, A. (66) 71
Seidlitz, L., Conwell, Y., Duberstein, P., Cox, C. and Denning, D.
Emotion traits in older suicide attempters and non-attempters (66) 123
Seo, M.Y., see Jin, D.K. (66) 19
Sharma, T., see Curtis, V.A. (66) 111
Silva, R.R., see Alpert, M. (66) 59
Silverstone, T., see Mahmood, T. (66) 1
Sommer, S., see Brieger, P. (66) 263
Stein, M.B. and Kennedy, C.
Major depressive and post-traumatic stress disorder comorbidity in female victims of intimate partner violence (66) 133
Stravynski, A. and Amado, D.
Fact or artifact–a comment on "Subpopulations of early separation anxiety: relevance to risk of adult anxiety disorders" (66) 281

Tait, G.R., see McManus, K. (66) 273
Tammi, A.-K., see Mervaala, E. (66) 47
Tiihonen, J., see Mervaala, E. (66) 47
Tohen, M., see Gonzalez-Pinto, A. (66) 247
Treuer, T., Fábián, Z. and Füredi, J.
Internet addiction associated with features of impulse control disorder: is it a real psychiatric disorder? (66) 283
Tsai, S.-J., see Lai, I.-C. (66) 79

Valkonen-Korhonen, M., see Mervaala, E. (66) 47
van den Broek, W.W., see Bruijn, J.A. (66) 165
van Houwelingen, C.A.J. and Beersma, D.G.M.
Seasonal changes in 24-h patterns of suicide rates: a study on train suicides in The Netherlands (66) 215
Venturello, S., see Barzega, G. (66) 39
Viinamäki, H., see Mervaala, E. (66) 47

Whybrow, P.C., see Gyulai, L. (66) 185
Wiesmann, M., see Rothermundt, M. (66) 89
Wilhelm, K., see Brodaty, H. (66) 225
Williams, S.C.R., see Curtis, V.A. (66) 111

Yýldýz, A. and Sachs, G.S.
Administration of antidepressants. Single versus split dosing: a meta-analysis (66) 199

ELSEVIER

Journal of Affective Disorders 66 (2001) 291–294

JOURNAL OF AFFECTIVE DISORDERS

www.elsevier.com/locate/jad

Subject index

Adaptation; Antidepressants; Meta-analysis; Dosing schedule; Compliance **66,** 199

Adulthood; Affective symptoms; Index hospitalization; Childhood; Depressive symptoms; Catch-up study **66,** 263

Aetiology; Age at onset; Early-onset; Major depression; Phenomenology **66,** 225

Affect; Depression; Irritability; Sadness; Anger; Syndromes **66,** 193

Affective Disorder; L-Thyroxine augmentation; T4; Bone density; Osteoporosis; Dual energy X-ray absorptiometry; DEXA **66,** 185

Affective symptoms; Index hospitalization; Childhood; Depressive symptoms; Adulthood; Catch-up study **66,** 263

Age; Electroconvulsive therapy; Side effects; Cognition; Aging; Depression **66,** 237

Age at onset; Early-onset; Major depression; Aetiology; Phenomenology **66,** 225

Aging; Electroconvulsive therapy; Side effects; Cognition; Age; Depression **66,** 237

Agitation/retardation; Depressed voice; Prosody; Fluency; Automatic speech **66,** 59

Analogue depression; Depression; Sub-threshold depression; Personality; Perfectionism; Continuity hypothesis **66,** 175

Anger; Affect; Depression; Irritability; Sadness; Syndromes **66,** 193

Antidepressant effect; Imipramine; Fixed-blood-level monitoring; Study design; Major depression with psychotic features **66,** 165

Antidepressants; Meta-analysis; Dosing schedule; Adaptation; Compliance **66,** 199

Association study; Polymorphism; Nicotinic receptor; Major depressive disorder **66,** 79

Atypical features; Bipolar II depression; Late life; Prevalence; Clinical features **66,** 13

Automatic speech; Depressed voice; Prosody; Fluency; Agitation/retardation **66,** 59

Bipolar; Serotonin; 5-HT **66,** 1

Bipolar affective disorder; Genetics; Trinucleotide repeats **66,** 19

Bipolar disorder; Schizophrenia; GABA; $GABA_A$ receptor; Glutamate; Serotonin **66,** 147

Bipolar I; Unipolar; Youth; Perceived family functioning **66,** 25

Bipolar II depression; Late life; Prevalence; Clinical features; Atypical features **66,** 13

Bipolar illness; Differential frontal activation; Schizophrenia; Verbal fluency **66,** 111

Bone density; L-Thyroxine augmentation; T4; Osteoporosis; Affective Disorder; Dual energy X-ray absorptiometry; DEXA **66,** 185

β-Adrenergic system; Panic disorder; Pentagastrin; CCK_B agonist; Ethinyl estradiol; Heart rate **66,** 273

Catch-up study; Affective symptoms; Index hospitalization; Childhood; Depressive symptoms; Adulthood **66,** 263

CCK_B agonist; Panic disorder; Pentagastrin; Ethinyl estradiol; Heart rate; β-Adrenergic system **66,** 273

CES–D; Erectile Dysfunction; Depression; Sildenafil **66,** 255

Chaos; Transcranial magnetic stimulation; Mania; Depression; Complexity **66,** 103

Childhood; Affective symptoms; Index hospitalization; Depressive symptoms; Adulthood; Catch-up study **66,** 263

Chronicity; Depressive disorder; Treatment outcome; Follow-up; Recurrence; Relapse **66,** 267

Circadian rhythm; Suicide; Seasons; Railroads **66,** 215

Clinical features; Bipolar II depression; Late life; Prevalence; Atypical features **66,** 13

Clinical variability; Dysthymia; Symptomatological characterization **66,** 39

Cognition; Electroconvulsive therapy; Side effects; Age; Aging; Depression **66,** 237

Complexity; Transcranial magnetic stimulation; Mania; Depression; Chaos **66,** 103

Compliance; Antidepressants; Meta-analysis; Dosing schedule; Adaptation **66,** 199

PII: S0165-0327(01)00402-5

Continuity hypothesis; Depression; Analogue depression; Sub-threshold depression; Personality; Perfectionism **66,** 175

Cortisol; Transcranial magnetic stimulation; Prolactin; FSH; TSH **66,** 83

Depressed voice; Prosody; Fluency; Automatic speech; Agitation/retardation **66,** 59

Depression; ECT; SPECT; rCBF; Iomazenil **66,** 47

Depression; Transcranial magnetic stimulation; Mania; Chaos; Complexity **66,** 103

Depression; Analogue depression; Sub-threshold depression; Personality; Perfectionism; Continuity hypothesis **66,** 175

Depression; Affect; Irritability; Sadness; Anger; Syndromes **66,** 193

Depression; Intimate relationships; Intimate Bond Measure; Melancholic and non-melancholic **66,** 207

Depression; Electroconvulsive therapy; Side effects; Cognition; Age; Aging **66,** 237

Depression; Erectile Dysfunction; CES–D; Sildenafil **66,** 255

Depression geriatric psychiatry; Emotion personality; Suicide **66,** 123

Depressive disorder; Treatment outcome; Chronicity; Follow-up; Recurrence; Relapse **66,** 267

Depressive symptoms; Affective symptoms; Index hospitalization; Childhood; Adulthood; Catch-up study **66,** 263

DEXA; L-Thyroxine augmentation; T4; Bone density; Osteoporosis; Affective Disorder; Dual energy X-ray absorptiometry **66,** 185

Differential frontal activation; Bipolar illness; Schizophrenia; Verbal fluency **66,** 111

Domestic violence; Intimate partner violence; Major depressive disorder; Post-traumatic stress disorder **66,** 133

Dosing schedule; Antidepressants; Meta-analysis; Adaptation; Compliance **66,** 199

Dual energy X-ray absorptiometry; L-Thyroxine augmentation; T4; Bone density; Osteoporosis; Affective Disorder; DEXA **66,** 185

Dysphoric mania; Naturalistic study; Olanzapine; Prevalence **66,** 247

Dysthymia; Clinical variability; Symptomatological characterization **66,** 39

Early-onset; Age at onset; Major depression; Aetiology; Phenomenology **66,** 225

ECT; SPECT; rCBF; Iomazenil; Depression **66,** 47

Electroconvulsive therapy; Side effects; Cognition; Age; Aging; Depression **66,** 237

Emotion personality; Suicide; Depression geriatric psychiatry **66,** 123

Erectile Dysfunction; Depression; CES–D; Sildenafil **66,** 255

Ethinyl estradiol; Panic disorder; Pentagastrin; CCK_B agonist; Heart rate; β-Adrenergic system **66,** 273

Fixed-blood-level monitoring; Imipramine; Study design; Antidepressant effect; Major depression with psychotic features **66,** 165

Fluency; Depressed voice; Prosody; Automatic speech; Agitation/retardation **66,** 59

Follow-up; Depressive disorder; Treatment outcome; Chronicity; Recurrence; Relapse **66,** 267

FSH; Transcranial magnetic stimulation; Cortisol; Prolactin; TSH **66,** 83

GABA; Schizophrenia; Bipolar disorder; $GABA_A$ receptor; Glutamate; Serotonin **66,** 147

$GABA_A$ receptor; Schizophrenia; Bipolar disorder; GABA; Glutamate; Serotonin **66,** 147

Genetics; Bipolar affective disorder; Trinucleotide repeats **66,** 19

Glutamate; Schizophrenia; Bipolar disorder; GABA; $GABA_A$ receptor; Serotonin **66,** 147

Heart rate; Panic disorder; Pentagastrin; CCK_B agonist; Ethinyl estradiol; β-Adrenergic system **66,** 273

5-HT; Serotonin; Bipolar **66,** 1

Imipramine; Fixed-blood-level monitoring; Study design; Antidepressant effect; Major depression with psychotic features **66,** 165

Index hospitalization; Affective symptoms; Childhood; Depressive symptoms; Adulthood; Catch-up study **66,** 263

Intimate Bond Measure; Depression; Intimate relationships; Melancholic and non-melancholic **66,** 207

Intimate partner violence; Domestic violence; Major depressive disorder; Post-traumatic stress disorder **66,** 133

Intimate relationships; Depression; Intimate Bond Measure; Melancholic and non-melancholic **66,** 207

Iomazenil; ECT; SPECT; rCBF; Depression **66,** 47

Irritability; Affect; Depression; Sadness; Anger; Syndromes **66,** 193

L-Thyroxine augmentation; T4; Bone density; Osteoporosis; Affective Disorder; Dual energy X-ray absorptiometry; DEXA **66,** 185

Late life; Bipolar II depression; Prevalence; Clinical features; Atypical features **66,** 13

Major Depression; Melancholia; S-100B; Neurodegeneration **66,** 89

Major depression; Age at onset; Early-onset; Aetiology; Phenomenology **66,** 225

Major depression inventory; Sensitivity; Specificity; SCAN **66,** 159

Major depression with psychotic features; Imipramine; Fixed-blood-level monitoring; Study design; Antidepressant effect **66,** 165

Major depressive disorder; Association study; Polymorphism; Nicotinic receptor **66,** 79

Major depressive disorder; Domestic violence; Intimate partner violence; Post-traumatic stress disorder **66,** 133

Mania; Transcranial magnetic stimulation; Depression; Chaos; Complexity **66,** 103

Melancholia; Major Depression; S-100B; Neurodegeneration **66,** 89

Melancholic and non-melancholic; Depression; Intimate relationships; Intimate Bond Measure **66,** 207

Meta-analysis; Antidepressants; Dosing schedule; Adaptation; Compliance **66,** 199

Naturalistic study; Dysphoric mania; Olanzapine; Prevalence **66,** 247

Neurodegeneration; Major Depression; Melancholia; S-100B **66,** 89

Nicotinic receptor; Association study; Polymorphism; Major depressive disorder **66,** 79

Olanzapine; Dysphoric mania; Naturalistic study; Prevalence **66,** 247

Osteoporosis; L-Thyroxine augmentation; T4; Bone density; Affective Disorder; Dual energy X-ray absorptiometry; DEXA **66,** 185

Panic disorder; Pentagastrin; CCK_B agonist; Ethinyl estradiol; Heart rate; β-Adrenergic system **66,** 273

Pentagastrin; Panic disorder; CCK_B agonist; Ethinyl estradiol; Heart rate; β-Adrenergic system **66,** 273

Perceived family functioning; Bipolar I; Unipolar; Youth **66,** 25

Perfectionism; Depression; Analogue depression; Sub-threshold depression; Personality; Continuity hypothesis **66,** 175

Personality; Depression; Analogue depression; Sub-threshold depression; Perfectionism; Continuity hypothesis **66,** 175

Phenomenology; Age at onset; Early-onset; Major depression; Aetiology **66,** 225

Polymorphism; Association study; Nicotinic receptor; Major depressive disorder **66,** 79

Post-traumatic stress disorder; Domestic violence; Intimate partner violence; Major depressive disorder **66,** 133

Prevalence; Bipolar II depression; Late life; Clinical features; Atypical features **66,** 13

Prevalence; Dysphoric mania; Naturalistic study; Olanzapine **66,** 247

Prolactin; Transcranial magnetic stimulation; Cortisol; FSH; TSH **66,** 83

Prosody; Depressed voice; Fluency; Automatic speech; Agitation/retardation **66,** 59

Railroads; Suicide; Seasons; Circadian rhythm **66,** 215

rCBF; ECT; SPECT; Iomazenil; Depression **66,** 47

Recurrence; Depressive disorder; Treatment outcome; Chronicity; Follow-up; Relapse **66,** 267

Relapse; Depressive disorder; Treatment outcome; Chronicity; Follow-up; Recurrence **66,** 267

Sadness; Affect; Depression; Irritability; Anger; Syndromes **66,** 193

SCAN; Major depression inventory; Sensitivity; Specificity **66,** 159

Schizophrenia; Bipolar illness; Differential frontal activation; Verbal fluency **66,** 111

Schizophrenia; Bipolar disorder; GABA; $GABA_A$ receptor; Glutamate; Serotonin **66,** 147

Seasons; Suicide; Circadian rhythm; Railroads **66,** 215

Sensitivity; Major depression inventory; Specificity; SCAN **66,** 159

Serotonin; 5-HT; Bipolar **66,** 1

Serotonin; Schizophrenia; Bipolar disorder; GABA; $GABA_A$ receptor; Glutamate **66,** 147

Side effects; Electroconvulsive therapy; Cognition; Age; Aging; Depression **66,** 237

Sildenafil; Erectile Dysfunction; Depression; CES–D **66,** 255

Specificity; Major depression inventory; Sensitivity; SCAN **66,** 159

SPECT; ECT; rCBF; Iomazenil; Depression **66,** 47

Study design; Imipramine; Fixed-blood-level monitoring; Antidepressant effect; Major depression with psychotic features **66,** 165

Sub-threshold depression; Depression; Analogue depression; Personality; Perfectionism; Continuity hypothesis **66,** 175

Suicide; Emotion personality; Depression geriatric psychiatry **66,** 123

Suicide; Seasons; Circadian rhythm; Railroads **66,** 215

Symptomatological characterization; Dysthymia; Clinical variability **66,** 39

Syndromes; Affect; Depression; Irritability; Sadness; Anger **66,** 193

S-100B; Major Depression; Melancholia; Neurodegeneration **66,** 89

T4; L-Thyroxine augmentation; Bone density; Osteoporosis; Affective Disorder; Dual energy X-ray absorptiometry; DEXA **66,** 185

Transcranial magnetic stimulation; Cortisol; Prolactin; FSH; TSH **66,** 83

Transcranial magnetic stimulation; Mania; Depression; Chaos; Complexity **66,** 103

Treatment outcome; Depressive disorder; Chronicity; Follow-up; Recurrence; Relapse **66,** 267

Trinucleotide repeats; Bipolar affective disorder; Genetics **66,** 19

TSH; Transcranial magnetic stimulation; Cortisol; Prolactin; FSH **66,** 83

Unipolar; Bipolar I; Youth; Perceived family functioning **66,** 25

Verbal fluency; Bipolar illness; Differential frontal activation; Schizophrenia **66,** 111

Youth; Bipolar I; Unipolar; Perceived family functioning **66,** 25